

EFFECTS OF SALMON LICE ON SEA TROUT - A LITERATURE REVIEW

Reference list

SEA TROUT AND SALMON LICE

- Birkeland, K. 1996. Consequences of premature return by sea trout (*Salmo trutta*) infested with the salmon louse (*Lepeophtheirus salmonis* Krøyer): migration, growth, and mortality. *Canadian Journal of Fisheries and Aquatic Sciences* 53, 2808-2813.
- Birkeland, K., & Jakobsen, P.J. 1997. Salmon lice, *Lepeophtheirus salmonis*, infestation as a causal agent of premature return to rivers and estuaries by sea trout, *Salmo trutta*, juveniles. *Environmental Biology of Fishes* 49, 129-137.
- Bjørn, P.A. & Finstad, B. 1997. The physiological effects of salmon lice infection on sea trout post smolts. *Nordic Journal of Freshwater Research* 73, 60-72.
- Bjørn, P.A. & Finstad, B. 1998. The development of salmon lice (*Lepeophtheirus salmonis*) on artificially infected post smolts of sea trout (*Salmo trutta*). *Canadian Journal of Zoology* 76, 970-977.
- Bjørn, P.A. & Finstad, B. 2002. Salmon lice, *Lepeophtheirus salmonis* (Krøyer), infestation in sympatric populations of Arctic char, *Salvelinus alpinus* (L.), and sea trout, *Salmo trutta* (L.), in areas near and distant from salmon farms. *ICES Journal of Marine Science* 59, 131-139.
- Bjørn, P.A., Finstad, B. & Kristoffersen, R. 2001. Salmon lice infection of wild sea trout and Arctic char in marine and freshwaters: the effects of salmon farms. *Aquaculture Research*, 32, 947-962.
- Bjørn, P.A., Finstad, B., Kristoffersen, R., McKinley, R.S. & Rikardsen, A.H. 2007. Differences in risks and consequences of salmon louse, *Lepeophtheirus salmonis* (Krøyer) infestation on sympatric populations of Atlantic salmon, brown trout and Arctic charr within northern fjords. *ICES Journal of Marine Science* 64, 386-393.
- Bjørn, P.A., Sivertsgård, R., Finstad, B., Nilsen, R., Serra-Llinares R.M. & Kristoffersen, R. 2011. Area protection may reduce salmon louse infection risk to wild salmonids. *Aquaculture Environment Interactions* 1, 233-244.
- Butler, J.R.A. 2002. Wild salmonids and sea louse infestations on the west coast of Scotland: sources of infection and implications for the management of marine salmon farms. *Pest Management Science* 58, 595-608.
- Butler, J.R.A. & Walker, A.F. 2006. Characteristics of the sea trout *Salmo trutta* (L.) stock collapse in the River Ewe (Wester Ross, Scotland), in 1988-2001. In: *Sea Trout: Biology, Conservation and Management* (eds. G. Harris & N. Milner), pp. 45-59. Blackwell Publishing, Oxford.
- Byrne, C.J., Holland, C. & Tully, O. 1999. Metazoan parasite community structure of sea trout on the west coast of Ireland. *Journal of Fish Biology* 55, 127-134.
- Byrne, C.J., Poole, R., Dillane, M., Rogan, G. & Whelan, K.F. 2004. Temporal and environmental influences on the variation in sea trout (*Salmo trutta* L.) smolt migration in the Burrishoole system in the west of Ireland from 1971 to 2000. *Fisheries Research* 66, 85-94.
- Coughlan, J., McGinnity, P., O'Farrell, B., Dillane, E., Diserud, O., de Eyto, E., Farrell, K., Whelan, K., Stet, R.J.M. & Cross, T.F. 2006. Temporal variation in an immune response gene (MHC 1) in anadromous *Salmo trutta* in an Irish river before and during aquaculture activities. *ICES Journal of Marine Science* 63, 1248-1255.
- Dawson, L.H.J. 1998. The physiological effects of salmon lice (*Lepeophtheirus salmonis*) infections on returning post-smolt sea trout (*Salmo trutta* L.) in western Ireland, 1996. *ICES Journal of Marine Science* 55, 193-200.
- Dawson, L.H.J., Pike, A.W., Houlihan, D.F. & McVicar, A.H. 1997. Comparison of the susceptibility of sea trout (*Salmo trutta* L.) and Atlantic salmon (*Salmo salar* L.) to sea lice (*Lepeophtheirus salmonis* (Krøyer, 1837)) infections. *ICES Journal of Marine Science* 54, 1129-1139.
- Dawson, L.H.J., Pike, A.W., Houlihan, D.F. & McVicar, A.H. 1998. Effects of salmon lice *Lepeophtheirus salmonis* on sea trout *Salmo trutta* at different times after seawater transfer. *Diseases of Aquatic Organisms* 33, 179-186.
- Edwards, R. 1998. Infested waters - sea lice from salmon farms threaten Scotland's sea trout. *New Scientist* 2141, 23-23.
- Finstad, B. & Bjørn, P.A. 2011. Present status and implications of salmon lice on wild salmonids in Norwegian coastal zones. In: *Salmon lice: An integrated approach to understanding parasite abundance and distribution* (eds. S. Jones & R. Beamish), pp. 281-305. Wiley-Blackwell, Oxford, UK.
- Finstad, B., Bjørn, P.A., Todd, C.D., Whoriskey, F., Gargan, P.G., Forde, G. & Revie, C. 2010. The effect of sea lice on Atlantic salmon and other salmonid species. In: *Atlantic salmon ecology* (eds. Ø. Aas, S. Einum, A. Klemetsen & J. Skuldal), pp. 253-276. Wiley-Blackwell, Oxford, UK.
- Fjørtoft, H.B., Borgstrøm, R. & Skaala, Ø. 2014. Differential changes in growth patterns of anadromous brown trout and Atlantic salmon from the River Etneelva over a 25-year period. *Marine Biology Research* 10, 301-307.
- Ford, J.S. & Myers, R.A. 2008. A global assessment of salmon aquaculture impacts on wild salmonids. *PLoS Biology* 6(2).
- Gargan, P. 2000. The impact of the salmon louse (*Lepeophtheirus salmonis*) on wild salmonid stocks in Europe and recommendations for effective management of sea lice on salmon farms. In: *Aquaculture and the Protection of*

- Wild Salmon (eds. P. Gallagher & C. Orr), pp. 37-46. Workshop Proceedings, July 2000, Simon Fraser University, Vancouver, British Columbia, Canada.
- Gargan, P.G., Poole, W.R. & Forde, G. 2006. A review of the status of Irish Sea trout Stocks. In: Sea Trout: Biology, Conservation and Management (eds. G. Harris & N. Milner), pp. 25-44. Blackwell Publishing, Oxford.
- Gargan, P.G., Tully, O. & Poole, W.R. 2003. The relationship between sea lice infestation, sea lice production and sea trout survival in Ireland, 1992-2001. In Salmon at the Edge (ed. D. Mills), chapter 10, pp. 119-135. Proceedings of the 6th International Atlantic Salmon Symposium, Edinburgh, UK, July 2002. Atlantic Salmon Trust/Atlantic Salmon Federation.
- Gargan, P.G., Roche, W.K., Forde, G.P. & Ferguson, A. 2006. Characteristics of the sea trout (*Salmo trutta* L.) stocks from the Owengowla and Invermore fisheries, Connemara, Western Ireland, and recent trends in marine survival. In: Sea Trout: Biology, Conservation and Management (eds. G. Harris & N. Milner), pp. 60-75. Blackwell Publishing, Oxford.
- Gillibrand, P., Hay, D., Penston, M. & Murray, A. 2005. Sea lice and sea trout. Are salmon farms causing increased parasitism on wild salmonids in Scotland? *Ocean Challenge* 14, 24-30.
- Glover, K.A., Nilsen, F., Skaala, Ø., Taggart, J.B. & Teale, A.J. 2001. Differences in susceptibility to sea lice infection between a sea run and a freshwater resident population of brown trout. *Journal of Fish Biology* 59, 1512-1519.
- Glover, K.A., Skaala, Ø., Nilsen, F., Olsen, R., Teale, A.J. & Taggart, J.B. 2003. Differing susceptibility of anadromous brown trout (*Salmo trutta* L.) populations to salmon louse (*Lepeophtheirus salmonis* (Krøyer, 1837)) infection. *ICES Journal of Marine Science* 60, 1139-1148.
- Hansen, M.M., Skaala, Ø., Fast Jensen, L., Bekkevold, D. & Mensberg, K.-L.D. 2007. Gene flow, effective population size and selection at major histocompatibility complex genes: brown trout in the Hardanger Fjord, Norway. *Molecular Ecology* 16, 1413-1425.
- Hatton-Ellis, M., Hay, D.W., Walker, A.F. & Northcott, S.J. 2006. Sea lice *Lepeophtheirus salmonis* infestations of post-smolt sea trout in Loch Shildaig, Wester Ross, 1999-2003. In: Sea Trout: Biology, Conservation and Management (eds. G. Harris & N. Milner), pp. 372-376. Blackwell Publishing, Oxford.
- Heggerget, T.G., Johnsen, B.O., Hindar, K., Jonsson, B., Hansen, L.P., Hvidsten, N.A. & Jensen, A.J. 1993. Interactions between wild and cultured Atlantic salmon: a review of the Norwegian experience. *Fisheries Research* 18, 123-146.
- Hevrøy, E.M., Boxaspen, K., Oppedal, F., Taranger, G.L. & Holm, J.C. 2003. The effect of artificial light treatment and depth on the infestation of the sea louse *Lepeophtheirus salmonis* on Atlantic salmon (*Salmo salar* L.) culture. *Aquaculture* 220, 1-14.
- Heuch, P.A., Knutsen, J.A., Knutsen, H. & Schram, T. 2002. Salinity and temperature effects on sea lice overwintering on sea trout (*Salmo trutta*) in coastal areas of the Skagerrak. *Journal of the Marine Biological Association, U.K.* 82, 887-892.
- Heuch, P.A., Bjørn, P.A., Finstad, B., Holst, J.C., Asplin, L. & Nilsen, F. 2005. A review of the Norwegian 'national action plan against salmon lice on salmonids': the effect on wild salmonids. *Aquaculture* 246, 79-92.
- Hutton, J.A. 1923. The parasites of salmon. *Salmon and Trout Magazine* 34, 302-312.
- Johannessen, A. 1978. Early stages of *Lepeophtheirus salmonis* (Copepoda, Caligidae). *Sarsia* 63, 169-176.
- Jones, S. & Beamish, R. 2009. Salmon lice. An integrated approach to understanding parasite abundance and distribution. Wiley-Blackwell, UK.
- Krkosek, M., Morton, A., Volpe, J.P. & Lewis, M.A. 2009. Sea lice and salmon population dynamics: effects of exposure time for migratory fish. *Proceedings of the Royal Society B* 276, 2829-2828.
- MacKenzie, K., Longshaw, M., Begg, G.S. & McVicar, A.H. 1998. Sea lice (Copepoda: Caligidae) on wild sea trout (*Salmo trutta* L.) in Scotland. *ICES Journal of Marine Science* 55, 151-162.
- Marshall, S. 2003. The incidence of sea lice infestations on wild sea trout compared to farmed salmon. *Bulletin of the European Association of Fish Pathologists*, 23, 72-79.
- McVicar, A.H., Sharp, L.A., Walker, A.F. & Pike, A.W. 1993. Diseases of wild sea trout in Scotland in relation to fish population decline. *Fisheries Research* 17, 175-185.
- Middlemas, S.J., Fryer, R.J., Tulett, D. & Armstrong, J.D. 2013. Relationship between sea lice levels on sea trout and fish farm activity in western Scotland. *Fisheries Management and Ecology* 20, 68-74.
- Middlemas, S.J., Raffell, J.A., Hay, D.W., Hatton-Ellis, M. & Armstrong, J.D. 2010. Temporal and spatial patterns of sea lice levels on sea trout in western Scotland in relation to fish farm production cycles. *Biology Letters* 6, 548-551.
- Mo, T.A. & Heuch, P.A. 1998. Occurrence of *Lepeophtheirus salmonis* (Copepoda: Caligidae) on sea trout (*Salmo trutta*) in the inner Oslo Fjord, south-eastern Norway. *ICES Journal of Marine Science* 55, 176-180.
- Murray, A.G. 2002. Using observed load distributions with a simple model to analyse the epidemiology of sea lice (*Lepeophtheirus salmonis*) on sea trout (*Salmo trutta*). *Pest Management Science* 58, 585-594.
- Northcott S.J. & Walker A.F. 1996. Farming salmon, saving sea trout; a cool look at a hot issue. In: *Aquaculture and Sea Lochs* (ed. K. Black), pp.72-81. The Scottish Association for Marine Science, Dunstane, Scotland, UK.

- Penston, M.J. & Davies, I.M. 2009. An assessment of salmon farms and wild salmonids as sources of *Lepeophtheirus salmonis* (Krøyer) copepodids in the water column in Loch Torridon, Scotland. *Journal of Fish Diseases* 32, 75-88.
- Penston, M.J., Millar, C.P. & Davies, I.M. 2008. Reduced *Lepeophtheirus salmonis* larval abundance in a sea loch on the west coast of Scotland between 2002 and 2006. *Diseases of Aquatic Organisms* 81, 109-117.
- Pert, C.C., Raffell, J., Urquhart, K., Weir, S.J., Kantola, K.M.H. & Bricknell, I.R. 2009. The pathogen burden of early returning sea trout (*Salmo trutta* L.) infected with *Lepeophtheirus salmonis* (Krøyer, 1837), in the River Shieldaig, Scotland. *Bulletin of the European Association of Fish Pathologists* 29, 210-216.
- Pike, A.W. & Wadsworth, S.L. 1999. Sea lice on salmonids: their biology and control. *Advances in Parasitology* 44, 253-337.
- Poole, W.R., Nolan, D. & Tully, O. 2000. Modelling the effects of capture and sea lice [*Lepeophtheirus salmonis* (Krøyer)] infestation on the cortisol stress response in trout. *Aquaculture Research* 31, 835-841.
- Poole, W.R., Whelan, K.F., Dillane, M.G., Cooke, D.J. & Matthews, M. 1996. The performance of sea trout, *Salmo trutta* L., stocks from the Burrishoole system western Ireland, 1970-1994. *Fisheries Management and Ecology* 3, 73-92.
- Raat, A.J.P. 2003. Stocking of sea trout, *Salmo trutta*, in Lake Veere, south-west Netherlands. *Fisheries Management and Ecology* 10, 61-71.
- Rikardsen, A.H. 2004. Seasonal occurrence of sea lice *Lepeophtheirus salmonis* on sea trout in two north Norwegian fjords. *Journal of Fish Biology* 65, 711-722.
- Schram, T.A., Knutsen, J.A., Heuch, P.A. & Mo, T.A. 1998. Seasonal occurrence of *Lepeophtheirus salmonis* and *Caligus elongatus* (Copepoda: Caligidae) on sea trout (*Salmo trutta*), off southern Norway. *ICES Journal of Marine Science* 55, 163-175.
- Sharp, L., Pike, A.W. & McVicar, A.H. 1994. Parameters of infection and morphometric analysis of sea lice from sea trout (*Salmo trutta*, L.) in Scottish waters. In: *Parasitic Diseases of Fish* (eds. A.W. Pike & J.W. Lewis), pp. 151-170. Samara Publishing Limited, Treasaith.
- Sivertsgård, R., Thorstad, E.B., Økland, F., Finstad, B., Bjørn, P.A., Jepsen, N., Nordal, T. & McKinley, R.S. 2007. Effects of salmon lice infection and salmon lice protection on fjord migrating Atlantic salmon and brown trout post-smolts. *Hydrobiologia* 582, 35-42.
- Skaala, Ø., Kålås, S. & Borgstrøm, R. 2014. Evidence of salmon lice-induced mortality of anadromous brown trout (*Salmo trutta*) in the Hardangerfjord, Norway. *Marine Biology Research* 10, 279-288
- Skaala, Ø., Johnsen, G.H., Lo, H., Borgstrøm, R., Wennevik, V., Hansen, M.M., Merz, J.E., Glover, K.A. & Barlaup, B.T. 2014. A conservation plan for Atlantic salmon (*Salmo salar*) and anadromous brown trout (*Salmo trutta*) in a region with intensive industrial use of aquatic habitats, the Hardangerfjord, western Norway. *Marine Biology Research* 10, 308-322.
- Stien, A., Bjørn, P.A., Heuch, P.A. & Elston, D.A. 2005. Population dynamics of salmon lice *Lepeophtheirus salmonis* on Atlantic salmon and sea trout. *Marine Ecology Progress Series* 290, 263-275.
- Tingley, G.A., Ives, M.J. & Russell, I.C. 1997. The occurrence of lice on sea trout (*Salmo trutta* L.) captured in the sea off the East Anglian coast of England. *ICES Journal of Marine Science* 54, 1120-1128.
- Tocher, J.A., Dick, J.R., Bron, J.E., Shinn, A.P. & Tocher, D.R. 2010. Lipid and fatty acid composition of parasitic caligid copepods belonging to the genus *Lepeophtheirus*. *Comparative Biochemistry and Physiology Part B* 156, 107-114.
- Todd, C.D. 2007. The copepod parasite (*Lepeophtheirus salmonis* (Krøyer), *Caligus elongatus* Nordmann) interactions between wild and farmed Atlantic salmon (*Salmo salar* L.) and wild sea trout (*Salmo trutta* L.): a mini review. *Journal of Plankton Research* 29, i61-i71.
- Todd, C.D., Walker, A.M., Ritchie, M.G., Graves, J.A. & Walker, A.F. 2004. Population genetic differentiation of sea lice (*Lepeophtheirus salmonis*) parasitic on Atlantic and Pacific salmonids: analyses of microsatellite DNA variation among wild and farmed hosts. *Canadian Journal of Fisheries and Aquatic Sciences* 61, 1176-1190.
- Todd, C.D., Walker, A.M., Wolff, K., Northcott, S.J., Walker, A.F., Ritchie, M.G., Hoskins, R., Abbott, R.J. & Hazon, N. 1997. Genetic differentiation of populations of the copepod sea louse *Lepeophtheirus salmonis* (Krøyer) ectoparasitic on wild and farmed salmonids around the coasts of Scotland: Evidence from RAPD markers. *Journal of Experimental Marine Biology and Ecology* 210, 251-274.
- Torrissen, O., Jones, S., Asche, F., Guttormsen, A., Skilbrei, O.T., Nilsen, F., Horsberg, T.E. & Jackson, D. 2013. Salmon lice - impact on wild salmonids and salmon aquaculture. *Journal of Fish Diseases* 36, 171-194.
- Tully, O. 1992. Predicting infestation parameters and impacts of caligid copepods in wild and cultured fish populations. *Invertebrate Reproduction and Development* 22, 91-102.
- Tully, O. & Whelan, K.F. 1993. Production of nauplii of *Lepeophtheirus salmonis* (Krøyer) (Copepoda: Caligidae) from farmed and wild salmon and its relation to the infestation of wild sea trout (*Salmo trutta* L.) off the west coast of Ireland in 1991. *Fisheries Research* 17, 187-200.
- Tully, O., Poole, W.R. & Whelan, K.F. 1993. Infestation parameters for *Lepeophtheirus salmonis* (Krøyer) (Copepoda: Caligidae) parasitic on sea trout, *Salmo trutta* L., off the west coast of Ireland during 1990 and 1991. *Aquaculture and Fisheries Management* 24, 545-557.

- Tully, O., Gargan, P., Poole, W.R., & Whelan, K.F. 1999. Spatial and temporal variation in the infestation of sea trout (*Salmo trutta* L.) by the caligid copepod *Lepeophtheirus salmonis* (Krøyer) in relation to sources of infection in Ireland. *Parasitology* 119, 41-51.
- Tully, O., Poole, W.R., Whelan, K.F. & Merigoux, S. 1993. Parameters and possible causes of epizootics of *Lepeophtheirus salmonis* (Krøyer) infesting sea trout (*Salmo trutta* L.) off the west coast of Ireland. In: *Pathogens of Wild and Farmed Fish: Sea Lice* (eds. G.A. Boxhall & D. Defaye), pp. 202-213. Ellis Horwood, Chichester, UK.
- Urquhart, K., Pert, C.C., Kilburn, R., Fryer, R.J. & Bricknell, I.R. 2008. Prevalence, abundance, and distribution of *Lepeophtheirus salmonis* (Krøyer, 1837) and *Caligus elongatus* (Nordmann, 1832) on wild sea trout *Salmo trutta* L. *ICES Journal of Marine Science*, 65, 171-173.
- Urquhart, K., Pert, C.C., Fryer, R.J., Cook, P., Weir, S., Kilburn, R., McCarthy, U., Simons, J., McBeath, S J., Matejusova, I. & Bricknell, I.R. 2010. A survey of pathogens and metazoan parasites on wild sea trout (*Salmo trutta*) in Scottish waters. *ICES Journal of Marine Science*, 67, 444-453.
- Vollset, K.W., Skoglund, H., Barlaup, B.T., Pulg, U., Gabrielsen, S.-E., Wiers, T., Skår, B. & Lehmann, G.B. 2014. Can the river location within a fjord explain the density of Atlantic salmon and sea trout? *Marine Biology Research* 10, 268-278.
- Wagner, G.N., Fast, M.D. & Johnson, S.C. 2008. Physiology and immunology of *Lepeophtheirus salmonis* infections of salmonids. *Trends in Parasitology* 24, 176-183.
- Wagner, G.N., Mckinley, R.S., Bjørn, P.A. & Finstad, B. 2004. Short-term freshwater exposure benefits sea lice-infected Atlantic salmon. *Journal of Fish Biology* 64, 1593-1604.
- Wells, A., Grierson, C.E., MacKenzie, M., Russon, I.J., Reinardy, H., Middlemiss, C., Bjørn, P.A., Finstad, B., Wendelaar Bonga, S.E., Todd C.D. & Hazon, N. 2006. Physiological effects of simultaneous, abrupt seawater entry and sea lice (*Lepeophtheirus salmonis*) infestation of wild, sea-run brown trout (*Salmo trutta*) smolts. *Canadian Journal of Fisheries and Aquatic Sciences* 63, 2809-2821.
- Wells, A., Grierson, C.E., Marshall, L., MacKenzie, M., Russon, I.J., Reinardy, H., Sivertsgård, R., Bjørn, P.A., Finstad, B., Wendelaar Bonga, S.E., Todd, C.D. & Hazon, N. 2007. Physiological consequences of “premature freshwater return” for wild sea-run brown trout (*Salmo trutta*) postsmolts infested with sea lice (*Lepeophtheirus salmonis*). *Canadian Journal of Fisheries and Aquatic Sciences* 64, 1360-1369.
- Whelan, K. 1991. Disappearing Sea trout: Decline or collapse. *The Salmon Net* 23, 24-31.
- Whelan, K.F. 1993. Decline of sea trout in the west of Ireland: an indication of forthcoming marine problems for salmon? In: *Salmon in the Sea and New Enhancement Strategies* (ed. D. Mills), pp. 171-183. Fishing News Books, Oxford.
- White, H.C. 1942. Life history of *Lepeophtheirus salmonis*. *Journal of the Fisheries Research Board of Canada* 6, 24-29.

INTERACTION WITH OTHER FACTORS

- Finstad, B., Kroglund, F., Strand, R., Stefansson, S.O., Bjørn, P.A., Rosseland, B.O., Nilsen, T.O. & Salbu, B. 2007. Salmon lice or suboptimal water quality - Reasons for reduced postsmolt survival? *Aquaculture* 273, 374-383.
- Finstad, B., Kroglund, F., Bjørn, P.A., Nilsen, R., Pettersen, K., Rosseland, B.O., Teien, H.-C., Nilsen, T.O., Stefansson, S., Salbu, B., Fiske, P. & Ebbesson, L.O.E. 2012. Salmon lice-induced mortality of Atlantic salmon postsmolts experiencing episodic acidification and recovery in freshwater. *Aquaculture* 362-363, 193-199.

GENERAL ON BROWN TROUT/SEA TROUT

- Acolas, M.L., Labonne, J., Baglinière, J.L. & Roussel, J.M. 2012. The role of body size versus growth on the decision to migrate: a case study with *Salmo trutta*. *Naturwissenschaften* 99, 11-21.
- Byrne, C.J., Poole, R., Dillane, M., Rogan, G. & Whelan, K.F. 2004. Temporal and environmental influences on the variation in sea trout (*Salmo trutta* L.) smolt migration in the Burrishoole system in the west of Ireland from 1971 to 2000. *Fisheries Research* 66, 85-94.
- Caballero, P., Cobo, F. & González, M.A. 2006. Life history of sea trout (*Salmo trutta* L.) population from the North-West Iberian Peninsula (River Ulla, Galicia, Spain). In: *Sea Trout: Biology, Conservation and Management* (eds. G. Harris & N. Milner), pp. 234-247. Blackwell Publishing, Oxford.
- Charles, K., Roussel, J.-M. & Cunjak, R.A. 2004. Estimating the contribution of sympatric anadromous and freshwater resident brown trout to juvenile production. *Marine and Freshwater Research* 55, 185-191.
- Charles, K., Roussel, J.-M., Lebel, J.-M. & Baglinière, J.-L. 2006. Genetic differentiation between anadromous and freshwater resident brown trout (*Salmo trutta* L.): insights obtained from stable isotope analysis. *Ecology of Freshwater Fish* 15, 255-263.
- Charles, K., Guyomard, R., Hoyheim, B., Ombredane, D. & Baglinière, J.-L. 2005. Lack of genetic differentiation between anadromous and resident sympatric brown trout (*Salmo trutta*) in a Normandy population. *Aquatic Living Resources* 18, 65-69.
- Clews, E.Durance, I., Vaughan, I.P. & Ormerod, S.J. 2010. Juvenile salmonid populations in a temperate river system track synoptic trends in climate. *Global Change Biology* 16, 3271-3283.
- Davidson, I.C., Cove, R.J. & Hazlewood, M.S. 2006. Annual variation in age composition, growth and abundance of sea trout returning to the River Dee at Chester, 1991-2003.

- Elliott, J.M. 1994. Quantitative ecology and the brown trout. Oxford Series in Ecology and Evolution, Oxford University Press, New York.
- Elliott, J.M. & Elliott, J.A. 2010. Temperature requirements of Atlantic salmon *Salmo salar*, brown trout *Salmo trutta* and Arctic charr *Salvelinus alpinus*: predicting the effects of climate change. *Journal of Fish Biology* 77, 1793-1817.
- Euzenat, G., Fournel, F. & Fagard, J.-L. 2006. Population dynamics and stock-recruitment relationship of sea trout in the River Bresle, Upper Normandy, France. In: *Sea Trout: Biology, Conservation and Management* (eds. G. Harris & N. Milner), pp. 307-323. Blackwell Publishing, Oxford.
- Evans, R. & Greest, V. 2006. The rod and net sea trout fisheries of England and Wales. In: *Sea Trout: Biology, Conservation and Management* (eds. G. Harris & N. Milner), pp. 107-114. Blackwell Publishing, Oxford.
- Finstad, B. & Jonsson, N. 2001. Factors influencing the yield of smolt releases in Norway. *Nordic Journal of Freshwater Research* 75, 37-55.
- Hansen, M.M., Ruzzante, D.E., Nielsen, E.E., Bekkevold, D., Mensberg, K.-L.D. 2002. Long-term effective population sizes, temporal stability of genetic composition and potential for local adaptation in anadromous brown trout (*Salmo trutta*) populations. *Molecular Ecology* 11, 2523-2535.
- Harris, G. 2006. Sea trout stock descriptions in England and Wales. In: *Sea Trout: Biology, Conservation and Management* (eds. G. Harris & N. Milner), pp. 88-106. Blackwell Publishing, Oxford.
- Hesthagen, T., Jonsson, B., Ugedal, O. & Forseth, T. 1997. Habitat use and life history of brown trout (*Salmo trutta*) and Arctic charr (*Salvelinus alpinus*) in some low acidity lakes in central Norway. *Hydrobiologia* 348, 113-126.
- Hindar, K., Jonsson, B., Ryman, N. & Ståhl, G. 1991. Genetic relationships among landlocked, resident, and anadromous brown trout *Salmo trutta* L. *Heredity* 66, 83-91.
- Hovgaard, K., Skaala, Ø. & Nævdal, G. 2006. Genetic differentiation among sea trout, *Salmo trutta* L., populations from western Norway. *Journal of Applied Ichthyology* 22, 57-61.
- Jonsson, B. 1985. Life history patterns of freshwater resident and sea-run migrant brown trout in Norway. *Transactions of the American Fisheries Society* 114, 182-194.
- Jonsson, B. 1989. Life history and habitat use of Norwegian brown trout (*Salmo trutta*). *Freshwater Biology* 21, 71-86.
- Jonsson, B. & Jonsson, N. 2005. Lipid energy reserves influence life-history decision of Atlantic salmon (*Salmo salar*) and brown trout (*S. trutta*) in fresh water. *Ecology of Freshwater Fish* 14, 296-301.
- Jonsson, B. & Jonsson, N. 2006. Life-history effects of migratory costs in anadromous brown trout. *Journal of Fish Biology* 69, 860-869.
- Jonsson, B. & Jonsson, N. 2009. A review of the likely effects of climate change on anadromous Atlantic salmon *Salmo salar* and brown trout *Salmo trutta*, with particular reference to water temperature and flow. *Journal of Fish Biology* 75, 2381-2447.
- Jonsson, B. & Jonsson, N. 2011. *Ecology of Atlantic salmon and brown trout - Habitat as a template for life histories*. Springer, New York.
- Jonsson, B., Jonsson, N. & Ugedal, O. 2011. Production of juvenile salmonids in small Norwegian streams is affected by agricultural land use. *Freshwater Biology* 56, 2529-2542.
- Jonsson, B., Jonsson, N., Brodtkorb, E. & Ingebrigtsen, P.J. 2001. Life-history traits of brown trout vary with the size of small streams. *Functional Ecology* 15, 310-317.
- Jonsson, N. & Jonsson, B. 1998. Body composition and energy allocation in life-history stages of brown trout. *Journal of Fish Biology* 53, 1306-1316.
- Kallio-Nyberg, I., Jutila, E., Koljonen, M.-L., Koskiniemi, J. & Saloniemi, I. 2010. Can the lost migratory *Salmo trutta* stocks be compensated with resident trout. *Fisheries Research* 102, 69-79.
- Klemetsen, A., Amundsen, P.-A., Dempson, J.B., Jonsson, B., Jonsson, N., O'Connell, M.F. & Mortensen, E. 2003. Atlantic salmon *Salmo salar* L., brown trout *Salmo trutta* L. and Arctic charr *Salvelinus alpinus* (L.): a review of aspects of their life histories. *Ecology of Freshwater Fish* 12, 1-59.
- Lobón-Cerviá, J. 2005. Discharge-dependent covariation patterns in the population dynamics of brown trout (*Salmo trutta*) within a Cantabrian river drainage. *Canadian Journal of Fisheries and Aquatic Sciences* 61, 1929-1939.
- Lobón-Cerviá, J. 2009. Why, when and how do fish populations decline, collapse and recover? The example of brown trout (*Salmo trutta*) in Rio Chaballos (northwestern Spain). *Freshwater Biology* 54, 1149-1162.
- Marco-Rius, F., Caballero, P., Morán, P. & Garcia de Leaniz, C. 2012. And the last shall be first: heterochrony and compensatory marine growth in sea trout (*Salmo trutta*). *PLoS ONE* 7(10), e45528.
- Marco-Rius, F., Caballero, P., Morán, P. & Garcia de Leaniz, C. 2013. Can migrants escape from density dependence? *Ecology and Evolution* 3, 2524-2534.
- McCartney, A.G., Harriman, R., Watt, A.W., Moore, D.W., Taylor, E.M., Collen, P. & Keay, E.J. 2003. Long-term trends in pH, aluminium and dissolved organic carbon in Scottish fresh waters; implications for brown trout (*Salmo trutta*) survival. *Science of the Total Environment* 310, 133-141.
- Meier, K., Hansen, M.M., Bekkevold, D., Skaala, Ø. & Mensberg, K.-L.D. 2011. An assessment of the spatial scale of local adaptation in brown trout (*Salmo trutta* L.): footprints of selection at microsatellite DNA loci. *Heredity* 106, 488-499.
- Poole, W.R., Dillane, M., DeEyto, E., Rogan, G., McGinnity, P. & Whelan, K. 2006. Characteristics of the Burrishoole sea trout population: census, marine survival, enhancement and stock-recruitment relationship,

- 1971-2003. In: Sea Trout: Biology, Conservation and Management (eds. G. Harris & N. Milner), pp. 107-114. Blackwell Publishing, Oxford.
- Ruzzante, D.E., Hansen, M.M., Meldrup, D. & Ebert, K.M. 2004. Stocking impact and migration pattern in an anadromous brown trout (*Salmo trutta*) complex: where have all the stocked spawning sea trout gone? *Molecular Ecology* 13, 1433-1445.
- Walker, A.M., Pawson, M.G. & Potter, E.C.E. 2006. Sea trout fisheries management: should we follow the salmon? In: Sea Trout: Biology, Conservation and Management (eds. G. Harris & N. Milner), pp. 466-479. Blackwell Publishing, Oxford.
- Waring, C.P. & Brown, J.A. 1997. Plasma and tissue thyroxine and triiodothyronine contents in sublethally stressed, aluminium-exposed brown trout (*Salmo trutta*). *General and Comparative Endocrinology* 106, 120-126.

GENERAL ON SALMON LICE

- Amundrud, T.L. & Murray, A.G. 2009. Modelling sea lice dispersion under varying environmental forcing in a Scottish sea loch. *Journal of Fish Diseases* 32, 27-44.
- Ashby, A.B. 1951. Sea lice on salmon. *Salmon and Trout Magazine* 131, 82-85.
- Asplin, L., Johnsen, I.A., Sandvik, A.D., Albretsen, J., Sundfjord, V., Aure, J. & Boxaspen, K. 2014. Dispersion of salmon lice in the Hardangerfjord. *Marine Biology Research* 10, 216-225.
- Berland, B. & Margolis, L. 1983. The early history of "Lakselus" and some nomenclatural questions relating to copepod parasites of salmon. *Sarsia* 68, 281-288.
- Boxaspen, K. 2006. A review of the biology and genetics of sea lice. *ICES Journal of Marine Science* 63, 1304-1316.
- Boxshall, G.A. 1974. Infections with parasitic copepods in North Sea marine fishes. *Journal of Marine Biological Association of the United Kingdom* 54, 355-372.
- Brandal, P.O., Egidius, E. & Romslo, I. 1976. Host blood: A major food component for the parasitic copepod *Lepeophtheirus salmonis* Kröyeri, 1838 (Crustacea: Caligidae). *Norwegian Journal of Zoology* 24, 341-343.
- Bricknell, I.R., Dalesman, S.J., O'Shea, B., Pert, C.C. & Luntz, A.J.M. 2006. Effect of environmental salinity on sea lice *Lepeophtheirus salmonis* settlement success. *Diseases of Aquatic Organisms* 71, 201-212.
- Brooks, K.M. 2005. The effects of water temperature, salinity, and currents on the survival and distribution of the infective copepodid stage of the sea lice (*Lepeophtheirus salmonis*) originating on Atlantic salmon farms in the Broughton Archipelago of British Columbia, Canada. *Reviews in Fisheries Science* 13, 177-204.
- Brooks, K.M. & Stucchi, D.J. 2006. The effects of water temperature, salinity and currents on the survival and distribution of the infective copepodid stage of the salmon louse (*Lepeophtheirus salmonis*) originating on Atlantic salmon farms in the Broughton Archipelago of British Columbia, Canada (Brooks, 2005) – A response to the rebuttal of Krkošek et al. (2005a). *Reviews in Fisheries Science* 14, 13-23.
- Connors, B.M., Juarez-Colunga, E. & Dill, L.M. 2008. Effects of varying salinities on *Lepeophtheirus salmonis* survival on juvenile pink and chum salmon. *Journal of Fish Biology* 72, 1825-1830.
- Costello, M.J. 2006. Ecology of sea lice parasitic on farmed and wild fish. *Trends in Parasitology* 22, 475-483.
- Costello, M.J. 2009. How sea lice from salmon farms may cause wild salmonid declines in Europa and North America and be a threat to fishes elsewhere. *Proceedings of the Royal Society B* 276, 3385-3394.
- Costelloe, M., Costelloe, J., O'Donohoe, G., Coghlan, N.J., Oonk, M. & vanderHeijden, Y. 1998. Planktonic distribution of sea lice larvae, *Lepeophtheirus salmonis*, in Killary Harbour, west coast of Ireland. *Journal of the Marine Biological Association, UK* 78, 853-874.
- Elliott, J.M. & Elliott, J.A. 2006. A 35-year study of stock-recruitment relationships in a small population of sea trout: assumptions, implications and limitations for predicting targets. In: Sea Trout: Biology, Conservation and Management (eds. G. Harris & N. Milner), pp. 257-278. Blackwell Publishing, Oxford.
- Fast, M.D., Burka, J.F., Johnson, S.C. & Ross, N.W. 2003. Enzymes released from *Lepeophtheirus salmonis* in response to mucus from different salmonids. *Journal of Parasitology* 89, 7-13.
- Frazer, L.N. 2009. Sea-cage aquaculture, sea lice, and declines of wild fish. *Conservation Biology* 23, 599-607.
- Genna, R.L., Mordue, W., Pike, A.W. & Mordue (Luntz), A.J. 2005. Light intensity, salinity, and host velocity influence presettlement intensity and distribution on hosts by copepodids of sea lice, *Lepeophtheirus salmonis*. *Canadian Journal of Fisheries and Aquatic Sciences* 62, 2675-2682.
- Gillibrand, P.A. & Willis, K.J. 2007. Dispersal of sea louse larvae from salmon farms: modeling the influence of environmental conditions and larval behavior. *Aquatic Biology* 1, 63-75.
- Glover, K.A., Stolen, A.B., Messmer, A., Koop, B.F., Torrissen, O. & Nilsen, F. 2011. Population genetic structure of the parasitic copepod *Lepeophtheirus salmonis* throughout the Atlantic. *Marine Ecology Progress Series* 427, 161-172.
- Hahnenkamp, L. & Fyhn, H.J. 1985. The osmotic response of salmon louse, *Lepeophtheirus salmonis* (Copepoda: Caligidae), during the transition from sea water to fresh water. *Journal of Comparative Physiology B* 155, 357-365.
- Hamre, L.A., Eichner, C., Caipang, C.M.A., Dalvin, S.T., Bron, J.E., Nilsen, F., Boxshall, G. & Skern-Mauritzen, R. 2013. The salmon louse *Lepeophtheirus salmonis* (Copepoda: Caligidae) life cycle has only two chalimus stages. *PLoS ONE* 8(9), e73539.

- Hastein, T. & Bergsjø, T. 1976. The salmon lice *Lepeophtheirus salmonis* as the cause of disease in farmed salmonids. Riv. it. Piscic. Ittiop N. 1, 1-5.
- Hayward, C.J., Andrews, M. & Nowak, B.F. 2009. *Lepeophtheirus salmonis* – a remarkable success story. In: Salmon Lice. An integrated approach to understanding parasite abundance and distribution (eds. Jones, S. & Beamish, R.), pp. 1-28. Wiley-Blackwell, UK
- Heuch, P.A. 1995. Experimental evidence for aggregation of salmon louse copepodids (*Lepeophtheirus salmonis*) in step salinity gradients. Journal of the Marine Biology Association U.K. 75, 927-939.
- Heuch, P.A. & Mo, T.A. 2001. A model of salmon louse production in Norway: effects of increasing salmon production and public management measures. Diseases of Aquatic Organisms 45, 145-152.
- Heuch, P.A. Parsons, A. & Boxaspen, K. 1995. Diel vertical migration: A possible host-finding mechanism in salmon louse (*Lepeophtheirus salmonis*) copepodids? Canadian Journal of Fisheries and Aquatic Sciences, 52, 681-689.
- Jansen, P.A., Kristoffersen, A.B., Viljugrein, H., Jimenez, D., Aldrin, M. & Stien, A. 2012. Sea lice density-dependent constraint to salmonid farming. Proceedings of the Royal Society B 279, 2330-2338.
- Johnson, S.C. & Albright, L.J. 1991. Development, growth, and survival of *Lepeophtheirus salmonis* (Copepoda: Caligidae) under laboratory conditions. Journal of the Marine Biological Association U.K. 71, 425-436.
- Johnson, S.C. & Albright, L.J. 1991. The developmental stages of *Lepeophtheirus salmonis* (Krøyer, 1837) (Copepoda: Caligidae). Canadian Journal of Zoology 69, 929-950.
- Krkošek, M., Lewis, M.A. & Volpe, J.P. 2005. Transmission dynamics of parasitic sea lice from farm to wild salmon. Proceedings of the Royal Society of London B 272, 689-696.
- MacKinnon, B.M. 1998. Host factors important in sea lice infections. ICES Journal of Marine Science 55, 188-192.
- McLean, P.H., Smith, G.W. & Wilson, M.J. 1990. Residence time of sea louse, *Lepeophtheirus salmonis* K., on Atlantic salmon, *Salmo salar* L., after immersion in fresh water. Journal of Fish Biology 37, 311-314.
- Murray, A.G. & Gillibrand, P.A. 2006. Modelling salmon lice dispersal in Loch Torridon, Scotland. Marine Pollution Bulletin 53, 128-135.
- Nylund, A., Bjørknes, B. & Wallace, C. 1991. *Lepeophtheirus salmonis* - a possible vector in the spread of diseases on salmonids. Bulletin of the European Association of Fish Pathologists 11, 213-216.
- Nylund, S., Andersen, L., Sævareid, I., Plarre, H., Watanebe, K., Arnesen, C.E., Karlsbakk, E. & Nylund, A. 2011. Diseases of farmed Atlantic salmon *Salmo salar* associated with infections by the microsporidan *Paranucleospora theridon*. Diseases of Aquatic Organisms 94, 41-57.
- Penston, M.J., McKibben, M.A., Hay, D.W. & Gillibrand, P.A. 2004. Observations on open-water densities of sea lice larvae in Loch Shiel, Western Scotland. Aquaculture Research 35, 793-805.
- Penston, M.J., Millar, C.P., Zuur, A. & Davies, I.M. 2008. Spatial and temporal distribution of *Lepeophtheirus salmonis* (Krøyer) larvae in a sea loch containing Atlantic salmon, *Salmo salar* L., farms on the northwest coast of Scotland. Journal of Fish Diseases 31, 361-371.
- Salama, N.K.G. & Rabe, B. 2013. Developing models for investigating the environmental transmission of disease-causing agents within open-cage salmon aquaculture. Aquaculture Environment Interactions 4, 91-115.
- Skilbrei, O. 2012. The importance of escaped farmed rainbow trout (*Oncorhynchus mykiss*) as a vector for the salmon louse (*Lepeophtheirus salmonis*) depends on the hydrological condition in the fjord. Hydrobiologia 686, 287-297.
- Tucker, C.S., Sommerville, C. & Wootten, R. 2002. Does size really matter? Effects of fish surface area on the settlement and initial survival of *Lepeophtheirus salmonis*, an ectoparasite of Atlantic salmon *Salmo salar*. Diseases of Aquatic Organisms 49, 145-152.
- Tully, O. & Nolan, D.T. 2002. A review of the population biology and host-parasite interactions of the sea louse *Lepeophtheirus salmonis* (Copepoda: Caligidae). Parasitology 124, 165-182.
- White, H.C. 1940. "Sea lice" (*Lepeophtheirus*) and death of salmon. Journal of Fishery Research Board Canada, 5, 172-175.
- Wootten R., Smith J.W. & Needham E.A. 1982. Aspects of the biology of the parasitic copepods *Lepeophtheirus salmonis* and *Caligus elongatus* on farmed salmonids, and their treatment. Proceeding of the Royal Society of Edinburgh 81B, 185-197.

SEA TROUT AND MARINE FEEDING, HABITAT USE AND MIGRATION

- Aarestrup, K. & Jepsen, N. 1998. Spawning migration of sea trout (*Salmo trutta* (L)) in a Danish river. Hydrobiologia 371/372, 275-281.
- Aarestrup, K., Baktoft, H., Koed, A., del Villar, D. & Thorstad, E.B. 2014. Comparison of the riverine and early marine migration behaviour and survival of wild and hatchery-reared sea trout *Salmo trutta* smolts. Marine Ecology Progress Series, in press.
- Bendall, B. & Moore, A. 2008. Temperature-sensing telemetry - possibilities for assessing the feeding ecology of marine mammals and their potential impacts on returning salmonid populations. Fisheries Management and Ecology 15, 339-345.
- Bendall, B., Moore, A. & Quayle, V. 2005. The post-spawning movements of migratory brown trout *Salmo trutta* L. Journal of Fish Biology 67, 809-822.

- Bendall, B., Moore, A., Maxwell, D., Davidson, P., Edmonds, N., Archer, D., Solomon, D., Greest, V., Wyatt, R. & Broad, K. 2012. Modelling the migratory behaviour of salmonids in relation to environmental and physiological parameters using telemetry data. *Fisheries Management and Ecology* 19, 475-483.
- Berg, O.K. & Berg, M. 1987. Migrations of sea trout, *Salmo trutta* L., from the Vardnes River in Northern Norway. *Journal of Fish Biology* 31, 113-121.
- Berg, O.K. & Berg, M. 1987. The seasonal pattern of growth of the sea trout (*Salmo trutta* L.) from the Vardnes River in northern Norway. *Aquaculture* 62, 143-152.
- Berg, O.K. & Berg, M. 1989. The duration of sea and freshwater residence of the sea trout, *Salmo trutta*, from the Vardnes River in northern Norway. *Environmental Biology of Fishes* 24, 23-32.
- Berg, O.K. & Jonsson, B. 1989. Migratory patterns of anadromous Atlantic salmon, brown trout, and Arctic charr from the Vardnes river in northern Norway. In *Proceedings of the Salmonid Migration and Distribution Symposium* (eds. E. Brannon & B. Jonsson), pp. 106-115. Seattle, School of Fisheries, University of Washington.
- Berg, O.K. & Jonsson, B. 1990. Growth and survival rates of the anadromous trout, *Salmo trutta*, from the Vardnes River, northern Norway. *Environmental Biology of Fishes* 29, 145-154.
- Carlsen, K.T., Berg, O.K., Finstad, B. & Heggberget, T.G. 2004. Diel periodicity and environmental influence on the smolt migration of Arctic charr, *Salvelinus alpinus*, Atlantic salmon, *Salmo salar*, and brown trout, *Salmo trutta*, in northern Norway. *Environmental Biology of Fishes* 70, 403-413.
- Dieperink, C., Pedersen, S. & Pedersen, M.I. 2001. Estuarine predation on radiotagged wild and domesticated sea trout (*Salmo trutta* L.) smolts. *Ecology of Freshwater Fish* 10, 177-183.
- Drenner, S.M., Clark, T.D., Whitney, C.K., Martins, E.G., Cooke, S.J. & Hinch, S.G. 2012. A Synthesis of Tagging Studies Examining the Behaviour and Survival of Anadromous Salmonids in Marine Environments. *PLoS ONE* 7(3), e31311.
- Etheridge, E.C., Harrod, C., Bean, C. & Adams, C.E. 2008. Continuous variation in the pattern of marine v. freshwater foraging in brown trout *Salmo trutta* L. from Loch Lomond, Scotland. *Journal of Fish Biology* 73, 44-53.
- Finstad, B., Økland, F., Thorstad, E.B., Bjørn, P.A. & McKinley, R.S. 2005. Migration of hatchery-reared Atlantic salmon and wild anadromous brown trout post-smolts in a Norwegian fjord system. *Journal of Fish Biology* 66, 86-96.
- Grønvik, S. & Klemetsen, A. 1987. Marine food and diet overlap of co-occurring Arctic charr *Salvelinus alpinus* (L.), brown trout *Salmo trutta* L. and Atlantic salmon *S. salar* L. off Senja, N. Norway. *Polar Biology* 7, 173-177.
- Hembre, B., Arnekleiv, J.V. & L'Abée-Lund, J.H. 2001. Effects of water discharge and temperature on the seaward migration of anadromous browntrout, *Salmo trutta*, smolts. *Ecology of Freshwater Fish* 10, 61-64.
- Jensen, A.J., Finstad, B., Fiske, P., Hvidsten, N.A., Rikardsen, A.H. & Saksgård, L. 2012. Timing of smolt migration in sympatric populations of Atlantic salmon (*Salmo salar*), brown trout (*Salmo trutta*), and Arctic char (*Salvelinus alpinus*), *Canadian Journal of Fisheries and Aquatic Sciences* 69, 711-723.
- Jensen, J.L.A. & Rikardsen, A.H. 2008. Do northern riverine anadromous Arctic charr *Salvelinus alpinus* and sea trout *Salmo trutta* overwinter in estuarine and marine waters? *Journal of Fish Biology* 73, 1810-1818.
- Jensen, J.L.A. & Rikardsen, A.H. 2012. Archival tags reveal that Arctic charr *Salvelinus alpinus* and brown trout *Salmo trutta* can use estuarine and marine waters during winter. *Journal of Fish Biology* 81, 735-749.
- Jensen, J.L.A., Rikardsen, A.H., Thorstad, E.B., Suhr, A.H., Davidsen, J.G. & Primicerio, R. 2014. Water temperatures influence the marine area use of Arctic charr *Salvelinus alpinus* and brown trout *Salmo trutta*. Submitted.
- Jonsson, B. & Jonsson, N. 2009. Migratory timing, marine survival and growth of anadromous trout *Salmo trutta* in the River Imsa, Norway. *Journal of Fish Biology* 74, 621-638.
- Jonsson, N. & Jonsson, B. 2002. Migration of anadromous brown trout *Salmo trutta* in a Norwegian river. *Freshwater Biology* 47, 1391-1401.
- Jonsson, N., Jonsson, B., Aass, P. & Hansen, L.P. 1995. Brown trout *Salmo trutta* released to support recreational fishing in a Norwegian fjord. *Journal of Fish Biology* 46, 70-84.
- Kallio-Nyberg, I., Saura, A. & Ahlfors, P. 2002. Sea migration pattern of two sea trout (*Salmo trutta*) stocks released into the Gulf of Finland. *Annales Zoologici Fennici* 39, 221-235.
- Kallio-Nyberg, I., Jutila, E., Jokikokko, E. & Saloniemi, I. 2006. Survival of reared Atlantic salmon and sea trout in relation to marine conditions of smolt year in the Baltic Sea. *Fisheries Research* 80, 295-304.
- Kallio-Nyberg, I., Saloniemi, I., Jutila, E. & Saura, A. 2007. Effects of marine conditions, fishing, and smolt traits on the survival of tagged, hatchery-reared sea trout (*Salmo trutta trutta*) in the Baltic Sea. *Canadian Journal of Fisheries and Aquatic Sciences* 64, 1183-1198.
- Knutsen, J.A., Knutsen, H., Gjosæter, J. & Jonsson, B. 2001. Food of anadromous brown trout at sea. *Journal of Fish Biology* 59, 533-543.
- Knutsen, J.A., Knutsen, H., Olsen, E.M. & Jonsson, B. 2004. Marine feeding of anadromous *Salmo trutta* during winter. *Journal of Fish Biology* 64, 89-99.

- Larsen, P.F., Nielsen, E.E., Koed, A., Thomsen, D.S., Olsvik, P.A. & Loeschcke, V. 2009. Interpopulation differences in expression of candidate genes for salinity tolerance in winter migrating anadromous brown trout (*Salmo trutta* L.). *BMG Genetics* 9, article number 12.
- Larsson, S., Serrano, I. & Eriksson, L.-O. 2012. Effects of muscle lipid concentration on wild and hatchery brown trout (*Salmo trutta*) smolt migration. *Canadian Journal of Fisheries and Aquatic Sciences* 69, 1-12.
- de Leeuw, J.J., ter Hofstede, R. & Winter, E.H. 2007. Sea growth of anadromous brown trout (*Salmo trutta*). *Journal of Sea Research* 58, 163-165.
- Lyse, A.A., Stefansson, S.O. & Fernö, A. 1998. Behaviour and diet of sea trout post-smolts in a Norwegian fjord system. *Journal of Fish Biology* 52, 923-936.
- Middlemas, S.J., Stewart, D.C., Mackay, S. & Armstrong, J.D. 2009. Habitat use and dispersal of post-smolt sea trout *Salmo trutta* in a Scottish sea loch system. *Journal of Fish Biology* 74, 639-651.
- Moore, A. & Potter, E.C.E. 1994. The movement of wild sea trout, *Salmo trutta* L., smolts through a river estuary. *Fisheries Management and Ecology* 1, 1-14.
- Moore, A., Ives, M., Scott, M. & Bamber, S. 1998. The migratory behaviour of wild sea trout (*Salmo trutta* L.) smolts in the estuary of the River Conwy, North Wales. *Aquaculture* 168, 57-68.
- Moore, A., Bendall, B., Barry, J., Waring, C., Crooks, N. & Crooks, L. 2002. River temperature and adult anadromous Atlantic salmon, *Salmo salar*, and brown trout, *Salmo trutta*. *Fisheries Management and Ecology* 19, 518-526.
- Nordeng, H. & Bratland, P. 2006. Homing experiments with parr, smolt and residents of anadromous Arctic char *Salvelinus alpinus* and brown trout *Salmo trutta*: transplantation between neighbouring river systems. *Ecology of Freshwater Fish* 15, 488-499.
- Olsen, E.M., Knutsen, H., Simonsen, J.H., Jonsson, B. & Knutsen, J.A. 2006. Seasonal variation in marine growth of sea trout, *Salmo trutta*, in coastal Skagerrak. *Ecology of Freshwater Fish* 15, 446-452.
- Östergren, J. & Rivinoja, P. 2008. Overwintering and downstream migration of sea trout (*Salmo trutta* L.) kelts under regulated flows - northern Sweden. *River Research and Applications* 24, 551-563.
- Pemberton, R. 1976. Sea trout in the North Argyll Sea lochs, population, distribution and movements. *Journal of Fish Biology* 9, 157-179.
- Rikardsen, A.H. & Amundsen, P.-A. 2005. Pelagic marine feeding of Arctic charr and sea trout. *Journal of Fish Biology* 66, 1163-1166.
- Rikardsen, A.H., Amundsen, P.-A., Knudsen, R. & Sandring, S. 2006. Seasonal marine feeding and body condition of sea trout (*Salmo trutta*) at its northern distribution. *ICES Journal of Marine Science* 63, 466-475.
- Rikardsen, A.H., Dempson, J.B., Amundsen, P.-A., Bjørn, P.A., Finstad, B. & Jensen, A.J. 2007. Temporal variability in marine feeding of sympatric Arctic charr and sea trout. *Journal of Fish Biology* 70, 837-852.
- Rikardsen, A.H., Diserud, O., Elliott, J.M., Dempson, J.B., Sturlaugsson, J. & Jensen, A.J. 2007. The marine temperature and depth preferences of Arctic charr (*Salvelinus alpinus*) and sea trout (*Salmo trutta*), as recorded by data storage tags. *Fisheries Oceanography* 16, 436-447.
- Serrano, I., Larsson, S. & Eriksson, L.-O. 2009. Migration performance of wild and hatchery sea trout (*Salmo trutta* L.) smolts—Implications for compensatory hatchery programs. *Fisheries Research* 99, 210-215.
- Thorstad, E.B., Økland, F., Finstad, B., Sivertsgård, R., Bjørn, P.A. & McKinley, R.S. 2004. Migration speeds and orientation of Atlantic salmon and sea trout post-smolts in a Norwegian fjord system. *Environmental Biology of Fishes* 71, 305-311.
- Thorstad, E.B., Økland, F., Finstad, B., Sivertsgård, R., Plantalech, N., Bjørn, P.A. & McKinley, R.S. 2007. Fjord migration and survival of wild and hatchery-reared Atlantic salmon and wild brown trout post-smolts. *Hydrobiologia* 582, 99-107.

METHODOLOGY

- Barlaup, B.T., Gabrielsen, S.-E., Løyland, J., Schläppy, M.-L., Wiers, T., Vollset, K.W. & Pulg, U. 2013. Trap design for catching fish unharmed and the implications for estimates of sea lice (*Lepeophtheirus salmonis*) on anadromous brown trout (*Salmo trutta*). *Fisheries Research* 139, 43-46.
- Holst, J.C. & McDonald, A. 2000. FISH-LIFT: a device for sampling live fish with trawls. *Fisheries Research* 48, 87-91.
- Lester, R.J.G. 1984. A review of methods for estimating mortality due to parasites in wild fish populations. *Helgoländer Meeresuntersuchungen* 37, 53-64.

GREY LITERATURE

- Andersen, P. 1993. Bekjemping av lakselus. Erfaringer fra Nord-Trøndelag. *Norsk Fiskeoppdrett* 2, 32-34.
- Anon. 1991. An investigation into the 1989/90 collapse of sea trout stocks in Galway and South Mayo. Sea Trout Action Group Report.
- Anon. 1992. Report of the Sea Trout Working Group, 1991. Department of the Marine, Dublin.
- Anon. 1992. Sea Trout Action Group 1991 Report. Sea Trout News No. 3.
- Anon. 1994. Report of the Sea Trout Task Force. Department of the Marine, Dublin.

- Anon 1994. Report of the Sea Trout Working Group, 1993. Fisheries Research Centre, Department of the Marine, Dublin.
- Anon. 1994. Report of the study group on anadromous trout. ICES C.M. 1994/M:4.
- Anon. 1998. Lakselus – kan skadevirkningene på oppdrettsfisk og villfisk reduseres? Referat fra seminar arranger av Norges Jeger- og Fiskerforbund – Rogaland.
- Anon. 2004. Infestation of sea trout by the salmon louse (*Lepeophtheirus salmonis*) in Ireland during spring 2004. Central Fisheries Board, Dublin.
- Anon. 2008. Infestation of salmon & sea trout post-smolts by the sea louse (*Lepeophtheirus salmonis*) in Ireland during spring of 2008. Central Fisheries Board, Dublin.
- Anon. 2011. Managing interactions aquaculture project. River and Fisheries Trust of Scotland. Sea trout post smolt monitoring project regional report 2011. Scotland, UK.
- Anon. 2011. Status for norske laksebestander i 2011. Rapport fra Vitenskapelig råd for lakseforvaltning nr 3, 1-285.
- Anon. 2012. Lakselus og effekter på vill laksefisk – fra individuell respons til bestandseffekter. Temarapport fra Vitenskapelig råd for lakseforvaltning 3, 1-56.
- Anon. 2013. Managing interactions aquaculture project 2012/13. Regional report; 2012 Sea trout post smolt monitoring. River and Fisheries Trust of Scotland, Scotland, UK.
- Asplin, L., Bjørn, P.A., Boxaspen, K.K., Finstad, B. & Sandvik, A.D. 2010. Nasjonal overvåking av lakselusmengde i fjordene. Fisken og Havet, særnummer 1-2010, 70-Havforskningsinstituttet, Bergen
- Berg, M., Finstad, B., Kvalvik, A., Uglem, I., Bjørn, P.A. & Nilsen, R. 2012. Laksefisk og luseovervåking i Romsdalsfjorden. NINA Rapport 779, 1-43.
- Berg, M., Finstad, B., Kvalvik, A., Uglem, I., Bjørn, P.A. & Nilsen, R. 2013. Laksefisk og luseovervåking i Romsdalsfjorden - del 2. NINA Rapport 919, 1-42.
- Birkeland, K. 1993. Omfang og konsekvenser av lakselusinfeksjoner på sjøørreten i Lønningdalselven (Hordaland). Zoologisk institutt, Økologisk avdeling, Universitetet i Bergen, Bergen.
- Birkeland, K., 1998. Registreringer av lakselus på sjøørret og oppdrettslaks i Hardangerfjorden og på Sotra 1995-1997; effekt av regional våravlusning i Hardangerfjorden. Zoologisk institutt, Universitetet i Bergen, Bergen.
- Birkeland, K. & Jakobsen, P. 1994. Omfanget av lakselus på vill laksefisk i fylkene Nordland, Nord- og Sør-Trøndelag, Møre & Romsdal, Sogn & Fjordane og Hordaland i 1993. Zoologisk institutt, Økologisk avdeling, Universitetet i Bergen, Bergen.
- Birkeland, K. & Lura, H. Lakselusinfeksjoner på sjøaure i Rogaland 1997. Brev til Regional Arbeidsgruppe i Rogaland (RAR) datert 28.10.97. Saksnr 97/2172 fra Fylkesmannen i Rogaland Miljøvernvedelings.
- Bjørn, P.A., Finstad, B. & Kristoffersen, R. 2001. Registreringer av lakselus på laks, sjøørret og sjørøye i 2000. NINA Oppdragsmelding 698, 1-40.
- Bjørn, P.A., Finstad, B. & Kristoffersen, R. 2002. Registreringer av lakselus på laks, sjøørret og sjørøye i 2001. NINA Oppdragsmelding 737, 1-33.
- Bjørn PA, Finstad B & Kristoffersen R. 2003. Registreringer av lakselus på laks, sjøørret og sjørøye i 2002. NINA Oppdragsmelding 789, 1-44.
- Bjørn PA, Finstad B & Kristoffersen R. 2004. Registreringer av lakselus på laks, sjøørret og sjørøye i 2003. NINA Oppdragsmelding 853, 1-28.
- Bjørn PA, Finstad B & Kristoffersen R. 2005. Registreringer av lakselus på laks, sjøørret og sjørøye i 2004. NINA Rapport 60, 1-26.
- Bjørn, P.A., Finstad, B., Nilsen, R., Skaala, Ø. & Øverland, T. 2007. Registreringer av lakselus på laks, sjøørret og sjørøye i 2006. NINA Rapport 250, 1-24.
- Bjørn, P.A., Finstad, B., Asplin, L., Skilbrei, O., Nilsen, R., Serra-Llinares, R.M. & Boxaspen, K.K. 2011. Metodeutvikling for overvåking og telling av lakselus på viltlevende laksefisk. Rapport fra Havforskningen nr. 8-2011, 1-52.
- Bjørn, P.A., Finstad, B., Nilsen, R., Uglem, I., Asplin, L., Skaala, Ø. & Hvidsten, N.A. 2010. Nasjonal lakselusovervåking 2009 på ville bestander av laks, sjøørret og sjørøye langs Norskekysten samt i forbindelse med evaluering av nasjonale laksevasdrag og laksefjorder. NINA Rapport 547, 1-50.
- Bjørn, P.A., Asplin, L., Nilsen, R., Boxaspen, K.K., Finstad, B., Uglem, I., Kålås, S. & Barlaup, B. 2010. Lakselusinfeksjonen på vill laksefisk langs Norskekysten i 2010. Rapport fra Havforskningen nr. 13-2010, Havforskningsinstituttet, Bergen.
- Bjørn, P.A., Finstad, B., Nilsen, R., Asplin, L., Uglem, I., Skaala, Ø., Boxaspen, K.K. & Øverland, T. 2008. Nasjonal overvåking av lakselusinfeksjon på ville bestander av laks, sjøørret og sjørøye i forbindelse med nasjonale laksevasdrag og laksefjorder. NINA Rapport 377, 1-33.
- Bjørn, P.A., Finstad, B., Nilsen, R., Asplin, L., Uglem, I., Skaala, Ø., Boxaspen, K.K. & Øverland, T. 2009. Nasjonal lakselusovervåking 2008 på ville bestander av laks, sjøørret og sjørøye langs Norskekysten samt i forbindelse med evaluering av nasjonale laksevasdrag og laksefjorder. NINA Rapport 447, 1-52.
- Bjørn, P.A., Nilsen, R., Serra Llinares, R.M., Boxaspen, K.K., Finstad, B., Uglem, I., Kålås, S., Barlaup, B. & Wiik Vollset, K. 2011. Sluttrapport til Mattilsynet over lakselusinfeksjonen på vill laksefisk langs norskekysten i 2011. Rapport fra Havforskningen nr. 19-2011.

- Bjørn, P.A., Nilsen, R., Serra Llinares, R.M., Asplin, L., Boxaspen, K.K., Finstad, B., Uglem, I., Berg, M., Kålås, S., Barlaup, B. & Wiik Vollset, K. 2012. Lakselusinfeksjonen på vill laksefisk langs Norskekysten i 2012. Sluttrapport til Mattilsynet. Rapport fra havforskningen nr. 31-2012: 1-45.
- Bjørn, P.A., Nilsen, R., Serra Llinares, R.M., Asplin, L., Johnsen, I.A., Karlsen, Ø., Finstad, B., Berg, M., Uglem, I., Barlaup, B. & Wiik Vollset, K. 2013. Lakselusinfeksjonen på vill laksefisk langs Norskekysten i 2013. Sluttrapport til Mattilsynet. Rapport fra havforskningen nr. 32-2013: 1-34.
- Blaalid, G.-E. & Jensen, P.M. (eds.) 2009. Lakselus. Norsk Fiskeoppdrett nr. 6a, 1-112.
- Boxaspen, K.K. & Asplin, L. 2008. Lakselussituasjonen på Vestlandet i 2007. Kyst og Havbruk pp. 148-152, Havforskningsinstituttet, Bergen.
- Boxaspen, K., Hay, D. & Finstad, B. 2007. Salmon louse (*Lepeophtheirus salmonis*), In: Disease interactions and pathogen exchange between farmed and wild aquatic animal populations (eds. R. Raynard, T. Wahli, I. Vatsos & S. Mortensen). Veterinærmedisinsk Oppdragssenter AS.
- Calderwood, W.L. 1906. Experiment to test the length of time sea lice remain attached to salmon in fresh water. Annual Report of the Fishery Board of Scotland part 2, 75-77.
- Chang, B.D., Page, F.H., Losier, R.J., Lawton, P., Singh, R. & Greenberg, D.A. 2007. Evaluation of bay management area scenarios for the southwestern New Brunswick salmon aquaculture industry: Aquaculture collaborative research and development program. Final project report. Canadian Technical Report of Fisheries and Aquatic Sciences, 2722, 1-69.
- Elnan, S.D. & Gabrielsen, S.-E. 1999. Overvåking av lakselus på sjøaure i Rogaland sommeren 1998. Miljørapport nr. 2-1999, Fylkesmannen i Rogaland Miljøvernnavdelingen.
- Finstad, B. 1993. Økologiske og fysiologiske konsekvenser av lus på laksefisk i fjordssystem. NINA Oppdragsmelding 213, 1-18.
- Finstad, B., Hvidsten, N.A. & Uglem, I. 2010. Lakselusregistreringer i 2010: Vinterfiske etter sjøørret i Hardangerfjorden, Hitra og Flatanger og tråling etter lakse-smolt i Namsenfjorden og Altafjorden. NINA Rapport 624, 1-15.
- Finstad, B., Bjørn, P.A., Nilsen, S.T. & Hvidsten, N.A. 1994. Registreringer av lakselus på laks, sjøørret og sjørøye. NINA Oppdragsmelding 287, 1-35.
- Finstad, B., Boxaspen, K.K., Asplin, L. & Skaala, Ø. 2007. Lakselusinteraksjoner mellom oppdrettsfisk og villfisk - Hardangerfjorden som et modellområde. Kyst og havbruk pp. 69-73, Havforskningsinstituttet, Bergen.
- Finstad, B., Ulvan, E.M., Jonsson, B., Ugedal, O., Thorstad, E.B., Hvidsten, N.A., Hindar, K., Karlsson, S., Uglem, I. & Økland, F. 2011. Forslag til overvåkingssystem for sjøørret. NINA Rapport 689, 1-53.
- Gabrielsen, S.E. 2000. Overvåking av lakselus på sjøaure i Sogn og Fjordane sommeren 1999. Laboratorium for Fersvannsøkologi og Innlandsfiske, Universitetet i Bergen.
- Grimnes, A., Finstad, B. & Bjørn, P.A. 1996. Økologiske og fysiologiske konsekvenser av lus på laksefisk i fjordssystem. NINA Oppdragsmelding 381, 1-37.
- Grimnes, A., Finstad, B. & Bjørn, P.A. 1999. Registreringer av lakselus på laks, sjøørret og sjørøye i 1998. NINA Oppdragsmelding 579, Trondheim.
- Grimnes, A., Finstad, B. & Bjørn, P.A. 2000. Registreringer av lakselus på laks, sjøørret og sjørøye i 1999. NINA Oppdragsmelding 634, 1-34.
- Grimnes, A., Finstad, B., Bjørn, P.A., Tovslid, B.M. & Lund, R. 1998. Registreringer av lakselus på laks, sjøørret og sjørøye i 1997. NINA Oppdragsmelding 525, 1-33.
- Helland, I.P., Finstad, B., Uglem, I., Diserud, O.H., Foldvik, A., Hansen, F., Bjørn, P.A., Nilsen, R. & Jansen, P.A. 2012. Hva avgjør påslag av lakselusinfeksjon hos vill laksefisk? Statistisk bearbeiding av data fra nasjonal lakselusovervåking 2004-2010. NINA Rapport 891, 1-51.
- Heuch, P.A. 2010. Hvorfor de store lakselusproblemene i norsk oppdrettsnæring? Norsk Veterinærtidsskrift 1, 30-33.
- Jakobsen, P.J., Birkeland, K., Grimnes, A., Nylund, A. & Urdal, K. 1992. Undersøkelser av lakselus-infeksjoner på sjøaure og lakse-smolt i 1992. Rapport fra Zoologisk museum, Økologisk avdeling, Universitetet i Bergen, Bergen.
- Johannessen, A. 1975. Lakselus, *Lepeophtheirus salmonis* Krøyer (Copepoda Caligidae). Frittlevende larvestadier, vekst og infeksjon på laks (*Salmo salar*) fra oppdrettsanlegg og kommersielle fangster i vestnorske farvann 1973-1974. Cand.real. Thesis, Fishery biology, Norges fiskerihøgskole, Universitetet i Bergen, Bergen.
- Jonsson, B., Sægvog, H., Finstad, B., Karlsen, L.R., Kambestad, A., Langåker, R.M. & Gausen, D. (eds.) 2009. Bestandsutvikling hos sjøørret og forslag til forvaltningstiltak. DN Notat 1-2009, 1-28. Direktoratet for naturforvaltning (DN), Trondheim.
- Karlsbakk, E., Hodneland, K., Kålås, S. & Nylund, A. 1995. Lakselus på vill laksefisk i fylkene Nordland, Nord- og Sør-Trøndelag, Møre og Romsdal, Sogn og Fjordane og Hordaland i 1994. Institutt for fiskeri- og marinbiologi, Universitetet i Bergen, Bergen.
- Karlsbakk, E., Nylund, A., Nilsen, F. & Hodneland, K. 1994. Parasitter og sykdom hos laksefisk rundt oppdrettsanlegg. Rapport fra prosjektet (93/884 VØ ASI 454,43), Institutt for fiskeri- og marin biologi, Universitetet i Bergen, Bergen.
- Kålås, S. & Birkeland, K. 1999. Registreringer av lakselus på sjøaure i Hardangerfjorden og på Sotra i Hordaland sommaren 1998. Rådgivende Biologier AS Rapport 388, 1-20.

- Kålås, S., Birkeland, K. & Elnan, S.D. 2000. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 1999. Rådgivende Biologer AS, rapport 430, 1-37.
- Kålås, S. & Urdal, K. 2000. Ungfiskundersøkingar i Granvinselva, Jondalselva og Opo vinteren 1999/2000. Rådgivende Biologer AS, rapport nr. 469, 1-32.
- Kålås, S. & Urdal, K. 2001. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 2000. Rådgivende Biologer AS, rapport 483, 1-44.
- Kålås, S. & Urdal, K. 2002. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 2001. Rådgivende Biologer AS, rapport 535, 1-43.
- Kålås, S. & Urdal, K. 2003. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Vest-Agder, Rogaland, Hordaland og Sogn & Fjordane sommaren 2002. Rådgivende Biologer AS, rapport 631, 1-39.
- Kålås, S. & Urdal, K. 2004. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 2003. Rådgivende Biologer AS, rapport 694, 1-38.
- Kålås, S. & Urdal, K. 2004. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 2004. Rådgivende Biologer AS, rapport 761, 1-40.
- Kålås, S. & Urdal, K. 2005. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland og Hordaland sommaren 2005. Rådgivende Biologer AS, rapport 855, 1-28.
- Kålås, S. & Urdal, K. 2007. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 2006. Rådgivende Biologer AS, rapport 975, 1-39.
- Kålås, S. & Urdal, K. 2008. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 2007. Rådgivende Biologer AS, rapport 1081, 1-40.
- Kålås, S., Urdal, K. & Sægrov, H. 2008. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 2008. Rådgivende Biologer, rapport 1154, 1-42.
- Kålås, S., Urdal, K. & Sægrov, H. 2009. Overvaking av lakselusinfeksjonar på tilbakevandra sjøaure i Rogaland, Hordaland og Sogn & Fjordane sommaren 2009. Rådgivende Biologer AS, rapport 1275, 1-43.
- Kålås, S., Johnsen, G.H., Sægrov, H. & Urdal, K. 2012. Lakselus på Vestlandet frå 1992 til 2010. Bestandseffekt på laks. Rådgivende Biologer AS, rapport 1516, 1-55.
- Lamberg, A. & Strand, R. Overvaking av anadrome laksefisk i Urvoldsvassdraget i Bindal i 2008: Miljøeffekter av lakseoppdrettsanlegg i Bindalsfjorden. Vilt og Fiskeinfo Rapport 6/2009.
- Lamberg, A., Strand, R., Bjørnbet, S. & Øksenberg, S. 2009. Videoovervåking av laks og sjørret i Skjoma i 2009. VFI-rapport 14/2010.
- Mo, T.A. 1993. Lakselusundersøkelsene - Oslofjorden som referansefjord. Årsrapport 1992. Veterinærinstituttet.
- Revie, C., Dill, L., Finstad, B. & Todd, C. 2009. Sea Lice Working Group Report. NINA Special Report 39, 1-117.
- Schram, T., Knutsen, J.A. & Mo, T.A. 1994. Copepodelus på sjørret langs Skagerakkysten og spesielt i Arendalsområdet 1992-93. Biologisk institutt, Universitetet i Oslo, Oslo.
- Schram, T., Knutsen, J.A. & Mo, T.A. 1995. Copepodelus på sjørret langs Skagerakkysten og spesielt i Arendalsområdet 1994. Biologisk institutt, Universitetet i Oslo, Oslo.
- Schram, T., Knutsen, J.A. & Mo, T.A. 1996. Copepodelus på sjørret langs Skagerakkysten og spesielt i Arendalsområdet 1995. Biologisk institutt, Universitetet i Oslo, Oslo.
- Sivertsen, A., Walsø, Ø. & Venås, W. 1993. Fagseminar om lakselus og tiltaksstrategier. DN-notat 1993-3, Trondheim.
- Suhr, A.H. 2010. Vandringsmønster til sjørøye og sjørret i et nordnorsk fjordsystem. Mastergradsoppgave i Arktisk naturbruk og landbruk, vassdrag. Universitet i Tromsø, Tromsø.
- Taranger, G.L., Boxaspen, K.K., Madhun, A.S. & Svåsand, T. 2010. Risikovurdering - miljøvirkninger av norsk fiskeoppdrett. Fisken og Havet særnummer 3-2010, Havforskningsinstituttet, Bergen.
- Taranger, G.L., Svåsand, T., Madhun, A.S. & Boxaspen, K.K. 2011. Risikovurdering - miljøvirkninger av norsk fiskeoppdrett. Fisken og Havet særnummer 3-2011, Havforskningsinstituttet, Bergen.
- Taranger, G.L., Svåsand, T., Kvamme, B.O., Kristiansen, T. & Boxaspen, K.K. 2013. Risikovurdering norsk fiskeoppdrett 2012. Fisken og Havet, særnummer 2-2013, Havforskningsinstituttet, Bergen.
- Taranger, G.L., Svåsand, T., Kvamme, B.O., Kristiansen, T. & Boxaspen, K.K. 2013. Risikovurdering norsk fiskeoppdrett 2012. Fisken og Havet, særnummer 2-2013, Havforskningsinstituttet, Bergen.
- Taranger, G.L., Svåsand, T., Kvamme, B.O., Kristiansen, T. & Boxaspen, K.K. 2014. Risikovurdering norsk fiskeoppdrett 2013. Fisken og Havet, særnummer 2-2014, Havforskningsinstituttet, Bergen.
- Taranger, G.L., Svåsand, T., Bjørn, P.A., Jansen, P.A., Heuch, P.A., Grøntvedt, R.N., Asplin, L., Skilbrei, O., Glover, K., Skaala, Ø., Wennevik, V. & Boxaspen, K.K. 2012. Forslag til førstegenerasjons målemetode for miljøeffekt (effektindikatorer) med hensyn til genetisk påvirkning fra oppdrettslaks til villaks, og påvirkning av lakselus fra oppdrett på villlevende laksefiskbestander. Rapport fra Havforskningsinstituttet Nr. 13-2012, Veterinærinstituttets rapportserie Nr. 7-2012.
- Tovslid, B.M. 1999. Prematur tilbakevandring hos sjørret (*Salmo trutta*) grunnet lakselus (*Lepeophtheirus salmonis*) i Høgsfjorden, Rogaland 1997. Hovedoppgave, Høgskolen i Telemark.
- Urdal, K. 1992. Omfanget av lakselus på vill laksefisk i fylka Nordland, Nord- og Sør-Trøndelag, Møre og Romsdal og Sogn og Fjordane. Zoologisk museum, Økologisk avdeling, Universitetet i Bergen.

Whelan, K. 2010. A review of the impacts of the salmon louse, *Lepeophtheirus salmonis* (Krøyer, 1837) on wild salmonids. Atlantic Salmon Trust, Scotland, UK.