



## **Hvor stor innblanding er ønskelig?**

**Gardermoen 28.04.2015**



*Creating Tasteful solutions*

[www.leroy.no](http://www.leroy.no)


# Rognkjeks



# Gjennomsnittlig spiste lus pr rensefisk

Antall fisk	180 000	Gjennomsnitt spiste lus pr rensefisk					
		Antall lus	3	10	15	20	25
0,50	90 000	30 000	9 000	6 000	4 500	3 600	3 000
0,75	135 000	45 000	13 500	9 000	6 750	5 400	4 500
1,00	180 000	60 000	18 000	12 000	9 000	7 200	6 000
1,25	225 000	75 000	22 500	15 000	11 250	9 000	7 500
1,50	270 000	90 000	27 000	18 000	13 500	10 800	9 000
1,75	315 000	105 000	31 500	21 000	15 750	12 600	10 500
2,00	360 000	120 000	36 000	24 000	18 000	14 400	12 000

# Innblandingsgraf



Startfase

Operasjonsfase

Slutfase

# Innblandings tabell

	Gjennomsnitt antall lus av kjønnsmodne og pre-adult II						
Antall fisk pr enhet	0,50	0,75	1,00	1,25	1,50	1,75	2,00
100 000	3 333	5 000	6 667	8 333	10 000	11 667	13 333
120 000	4 000	6 000	8 000	10 000	12 000	14 000	16 000
140 000	4 667	7 000	9 333	11 667	14 000	16 333	18 667
160 000	5 333	8 000	10 667	13 333	16 000	18 667	21 333
180 000	6 000	9 000	12 000	15 000	18 000	21 000	24 000
200 000	6 667	10 000	13 333	16 667	20 000	23 333	26 667
Innblanding %	3,33	5,00	6,67	8,33	10,00	11,67	13,33
Antall lus pr RF	15						

# Hvordan legge forholdene til rette for rensefisken

- Kvalitet
- Renhold
- Fôring
- Adferd



Takk for meg 😊